Application/Control Number: 10/812,351 Page 2

Art Unit: 1797

## **EXAMINER'S AMENDMENT**

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Nicole Ressue on September 15, 2008.

On line 2 of claim 63, the phrase "the output signals" was changed to --the information-so as to use the same terminology as used in claim 45.

2. Reasons for allowance can be found in the Office action mailed on March 3, 2008.

Application/Control Number: 10/812,351 Page 3

Art Unit: 1797

3. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Maureen M. Wallenhorst whose telephone number is 571-272-

1266. The examiner can normally be reached on Monday-Thursday from 6:00 AM to 4:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Jill Warden, can be reached on 571-272-1267. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Maureen M. Wallenhorst Primary Examiner Art Unit 1797

mmw

September 15, 2008

/Maureen M. Wallenhorst/

Primary Examiner, Art Unit 1797